

Android™/iOS supporting  
Measurement Data Management Application



**KEW Smart**  
Advanced



Quality and reliability is our tradition

**KYORITSU**

**Not just perform measurement.  
Saves measured data  
and gives extra!**



**KEW**  
**CONNECT**

Produced: August 2024

# Do you have anything trouble you at work?

# Here it is!

A lot of test points and takes enormous working time.  
Time consuming report creation work.  
Manual input often brings typing errors.  
Troublesome data input work after returning office.




## Simplified monitoring

Real-time display and measured data save function.




Real-time display and syncing data save



Possible to add any texts on the measured data or file

Auto-save of location info







# KEW Smart Advanced

# solves such problems!

## 1

Transfers measured values to tablet or smartphone!

## 2

Quick data creation!  
Possible to save in CSV format to e-mail the data.



Measurement



Data transfer

Increase efficiency

Report creation

Time	Function	Value	Unit
15:17:24	400mA	3.6	mA
15:17:36	400mA	1.3	mA
15:17:36	400mA	2.5	mA
15:17:36	400mA	1.3	mA
15:17:36	400mA	1.9	mA
15:17:45	400mA	1.9	mA
15:17:46	400mA	1.8	mA




## Report creation

Measured values can be entered in the original Excel report template.


Other customized templates are importable.

### Result auto entry




Measured values are automatically entered in Excel template.

### Text entry



Any text is freely entered.



### Text template

#### Fixed stocks

KEW6516BT #8324806  
2023年 2月 7日  
2023/02/07 2023 2/7

#### User registered:

John Smith  
Pass Fail None  
sunny cloudy rainy

Date, paired device model name, and serial number are selectable from the fixed stocks box. Possible to add user original texts.

### Upper limit change

#### Upper limit change of recording

Upper limit of insulation resistance value[50V]

If measured value is greater than 10.0 MQ ,


automatically enter >10 MQ in the corresponding cell(s).

Upper limit of insulation resistance value[100V]

If measured value is greater than 100.0 MQ ,


Wishing to limit the values to be entered in the report up to 100 MQ? Then change the record upper limit and select desired max value.

### Cursor auto movement




#### Cursor movement

OFF → ↓



Move horizontally



Move vertically

Cursor automatically moves to next cell after entering value or text. Settings of cursor move direction and movement are available.

More becomes  
available soon



KYORITSU's broad lineup

# KEW Smart Advanced



Supported Products

## MULTI FUNCTION INSTALLATION TESTER

### KEW 6516BT



- Versatility that goes beyond these  
Insulation/Continuity/Loop/RCD/  
PSC/PFC/Earth/ACV/Phase rotation/  
Frequency/SPD/PAT
- Large LCD & HELP function
- Operation in 3 simple steps & Hands free testing
- Anti-Trip Technology (with 2 & 3 wires)for no trip LOOP L-PE  
testing on all RCDs

## MULTI FUNCTION INSTALLATION TESTER

### KEW 6514BT



- Comprehensive electrical tests  
required for completion inspection  
and maintenance are performable  
(Insulation resistance/voltage/frequency/continuity/  
earth resistance/phase rotation/RCD tests)
- With special range dedicated for testing EV chargers  
Programmable autotest function allows performing  
any combination of tests in sequence

## INSULATION / CONTINUITY TESTER

### KEW 3552BT



- Six ranges available  
for insulation  
resistance test  
(50/100/125/250/  
500/1000V)
- World's fastest class  
measurement speed (0.5 sec.)
- Insulation measurement up to 40GΩ

## LIGHT METER

### KEW 5204BT



- Wide Range  
Illuminance  
Measurement  
0.0 to 199900 lx
- With auto zero  
adjustment function to  
achieve precise  
measurements
- Detachable & Rotatable Light Sensor
- Data Hold, MAX/MIN Function

## EARTH TESTER

### KEW 4105DLBT-H



- 3-Pole and  
2-Pole Earth  
Resistance  
measurement  
(0.01 to 2000Ω)
- Waterproof design  
(IP67)
- Earth Voltage Measurement  
(AC/DC 0 to 300V)
- CAT IV 100V

\*Some countries regulate the compliance with their Radio Law of the products equipped with Bluetooth®.  
Please confirm it with your distributor before purchasing our products equipped with Bluetooth®.

One application can manage all supported models.



# KEW Smart Advanced



Download from Google  
Play Store for FREE.



Download from App Store  
for FREE.

Detailed explanation of the application  
is available on our website.



\* Please note that communication charge is incurred separately for downloading the applications.  
\* Please visit our website to check the supported versions of Android™ and iOS.  
\* Bluetooth® is the trademark or registered trademark of Bluetooth SIG.  
\* Android™ is the trademark or registered trademark of Google LLC.  
\* iOS is the trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.  
\* Microsoft Excel is the registered trademarks of Microsoft Corporation in the U.S. and/or other countries.



## Safety Warnings :

Please read the "Safety Warnings" in the instruction manual supplied with the instrument thoroughly and completely  
for correct use. Failure to follow the safety rules can cause fire, trouble, electrical shock, etc. Therefore, make sure  
to operate the instrument on a correct power supply and voltage rating marked on each instrument.

■ For inquiries or orders :



**KYORITSU ELECTRICAL  
INSTRUMENTS  
WORKS, LTD.**

2-5-20, Nakane, Meguro-ku, Tokyo, 152-0031 Japan  
Phone: +81-3-3723-0131  
Fax: +81-3-3723-0152

[www.kew-ltd.co.jp](http://www.kew-ltd.co.jp)

