Pairing with Bluetooth Compatible Devices

It is necessary to perform the pairing procedure before using Bluetooth functions.
Please refer to the followings for further details.
For your information, these procedures are based on the Bluetooth USB Adapter we've confirmed the operation.

- Using BUFFALO Bluetooth Ver2.1 + EDR Class1

- Using iBUFFALO Bluetooth Ver.3.0 + EDR Class1, BUFFALO Ver.3.0 + EDR Class2, iBUFFALO Bluetooth Ver.4.0 + EDR/LE

- Using ELECOM Logitec Bluetooth Ver3.0 Class2

Using BUFFALO Bluetooth Ver2.1 + EDR Class1

1. Power on KEW6305 and turn on the Bluetooth feature. (Setting No. 26)

2. Click Start -> All programs(P) -> Bluetooth -> Add New Connection.



3. Then the following window appears. Wait for a while.



4. Click "Next" when the name of KEW6305 is displayed on the list.



5. Then the following window appears. Wait for a while.



6. Click "Next" when following window appears.



7. KEW6305 has been paired and displayed as shown below.



- Using iBUFFALO Bluetooth Ver.3.0 + EDR Class1, BUFFALO Ver.3.0 + EDR Class2, iBUFFALO Bluetooth Ver.4.0 + EDR/LE

1. Power on KEW6305 and turn on the Bluetooth feature. (Setting No. 26)

2. Click Start -> All programs(P) -> Bluetooth -> My Bluetooth.



3. Press "F5" Key on the following screen.



4. When KEW6305 is detected, left-click on the name and then right-click to select "Secure Pair".



5. Click "OK" when the following window appears.



Pairing has been successfully completed when the following balloon message appears or the box at the lower left of the Bluetooth logo is checked.





6. Right-click on the paired device and click "Open(O)".



7. Click "Install" on the following window.



8. A new Outgoing serial port has been created.



- Using ELECOM Logitec Bluetooth Ver3.0 Class2

1. Power on KEW6305 and turn on the Bluetooth feature. (Setting No. 26)

2. Click the Notification area on the Task bar and right-click on the Bluetooth icon to select "Add a Device".



3. When the name of KEW6305 is displayed, left-click on it and then click "Next".



4. The pairing process has been completed. Click "Close" and close the window.